

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	49	capacitive adj sensor and(fingerprint or finger adj print)and surface and dielectric and capacitor adj plate and(plurality or plural\$1)and registers and (generat\$3 or obtaining or creat\$3)and quality adj image\$1 and(evaluat\$3 or judg\$4 or test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:02
L2	0	L1 and modulat\$3 adj electromagnetic adj field same capacitor adj plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:11
L3	24	L1 and electromagnetic adj field same capacitor adj plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:12
L4	23	L3 and(@ad<"20030205" or @rlad<"20030205" or @prad<"20030205" or @ptad<"20030205")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:14
L5	0	L3 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:14
L6	0	L4 and worst adj cleaning and conditions and surface and dielectric adj material and(contrast or brightness or intensity)same(ridge or valley)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:17
L7	0	L4 and worst adj cleaning and conditions and surface and dielectric adj material and(contrast or brightness or intensity)and(ridge or valley)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:18
L8	1	L1 and worst adj cleaning and conditions and surface and dielectric adj material and(contrast or brightness or intensity)and(ridge or valley)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:18
L9	0	L8 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:18
L10	112	capacitive adj sensor and(fingerprint or finger adj print)and dielectric and capacitor adj plate and (plurality or plural\$1)and(generat\$3 or obtaining or creat\$3)and(quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:22
L11	31	capacitive adj sensor same(fingerprint or finger adj print)and dielectric and capacitor adj plate and(plurality or plural\$1)and(generat\$3 or obtaining or creat\$3)and(quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:22

L12	83	L10 and electromagnetic adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:22
L13	0	L10 and modulat\$3 adj electromagnetic adj field same capacitor adj plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:23
L14	0	L10 and modulat\$3 adj electromagnetic adj field and capacitor adj plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:23
L15	83	L10 and electromagnetic adj field and capacitor adj plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:23
L16	78	L15 and(@ad<"20030205" or @rlad<"20030205" or @prad<"20030205" or @ptad<"20030205")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:24
L17	0	L15 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:24
L18	78	L12 and(@ad<"20030205" or @rlad<"20030205" or @prad<"20030205" or @ptad<"20030205")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:25
L19	0	L18 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:25
L20	2	((MARCO) near2 (IOR)).INV.	US-PGPUB; USPAT	OR	ON	2008/08/25 12:27
L21	1	L20 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:27
L22	1	L20 and capacitive adj sensor and(fingerprint or finger adj print)and dielectric and capacitor adj plate and(plurality or plural\$1)and(generat\$3 or obtaining or creat\$3)and(quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:57
L23	61614	electromagnetic adj field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:58

L24	192	electromagnetic adj field same capacitor adj plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:58
L25	81	L24 and capacitive adj sensor and(fingerprint or finger adj print)and dielectric and(generat\$3 or obtaining or creat\$3)and(quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:59
L26	76	L25 and(@ad<"20030205" or @rlad<"20030205" or @prad<"20030205" or @ptad<"20030205")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:59
L27	0	L25 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:59
L28	16	capacitive adj sensor and calibrat\$3 same (fingerprint or finger adj print)and(generat\$3 or obtaining or creat\$3)and(quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:02
L29	1	L28 and electromagnetic adj field and capacitor adj plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:03
L30	3	capacitive adj sensor and calibrat\$3 same (fingerprint or finger adj print)and(generat\$3 or obtaining or creat\$3)and(quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:15
L31	4	capacitive adj sensor and calibrat\$3 same (fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:16
L32	2	L31 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:16
L33	2	L32 and (electromagnetic adj field or electric or magnetic or magnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:17
L34	0	L33 and surface adj conditions and dielectric adj material and(contrast or brightness or intensity) same(ridge or valley)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:19
L35	0	L33 and surface adj conditions and dielectric and (contrast or brightness or intensity)and(ridge or valley)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:20

L36	0	L33 and dielectric and (contrast or brightness or intensity) and (ridge or valley)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:20
L37	0	L33 and dielectric and (contrast or brightness or intensity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:20
L38	2	L33 and capacitive adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:26
L40	87	((("20060120573") or ("20040239648") or ("20050093834") or ("5991408") or ("6993166") or ("7272247") or ("20030068072") or ("20050100200") or ("20050105782") or ("20050129290") or ("20060034497") or ("20060101281") or ("20070274575") or ("6973565") or ("20020167394") or ("20050012714") or ("20050030724") or ("6546122") or ("6567765") or ("7197168") or ("7236617") or ("7254255") or ("6098330") or ("5963679") or ("20030056122") or ("20030126448") or ("20040234112") or ("20050008197") or ("20050117785") or ("20050249390") or ("6114862") or ("6049620") or ("6320394") or ("6327376") or ("6437583") or ("6518560") or ("6538456") or ("6731120") or ("6998855") or ("7194113") or ("7366332") or ("20020097059") or ("20020180464") or ("20030021495") or ("20030103873") or ("20040222803") or ("20050244038") or ("20050259850") or ("20060115128") or ("20070206842") or ("6122394") or ("6148094") or (").pn.")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 13:33
L41	1	L40 and capacitive adj sensor and calibrat\$3 same(fingerprint or finger adj print or valley or ridges) and (generat\$3 or obtaining or creat\$3) and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3) and dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:36
L42	3	L40 and capacitive adj sensor and calibrat\$3 and (fingerprint or finger adj print or valley or ridges) and (generat\$3 or obtaining or creat\$3) and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3) and dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:38
L43	1	L42 and (electromagnetic adj field or electric or magnetic or magnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:39
L44	0	L43 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:39
L45	2	L42 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:39

L46	1	L40 and capacitive adj sensor and calibrat\$3 same(/fingerprint or finger adj print or valley or ridges)and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:45
L47	3	L40 and capacitive adj sensor and calibrat\$3 and (/fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:46
L48	2	L47 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:46
L49	3	L40 and capacitive adj sensor and calibrat\$3 and (/fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)and(contrast or brightness or intensity or grey or gray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:47
L50	2	L49 and @ad<"20030205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 13:47
L51	2945	382/124,115,125,127,126,100.ccls.	USPAT	OR	ON	2008/08/25 13:53
L52	1475	324/662,687,658,662,661,671,686.ccls.	USPAT	OR	ON	2008/08/25 13:55
L53	473	713/186.ccls.	USPAT	OR	ON	2008/08/25 13:55
L54	2257	345/173.ccls.	USPAT	OR	ON	2008/08/25 13:56
L55	2403	422/68.1,82.01.ccls.	USPAT	OR	ON	2008/08/25 13:57
L56	918	356/71.ccls.	USPAT	OR	ON	2008/08/25 13:57
L57	468	726/5.ccls.	USPAT	OR	ON	2008/08/25 13:58
L58	3	L51 and capacitive adj sensor and calibrat\$3 and (/fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)and(contrast or brightness or intensity or grey or gray)	USPAT	OR	ON	2008/08/25 13:59
L59	1	L58 and @ad<"20030205"	USPAT	OR	ON	2008/08/25 13:59

L60	0	L52 and capacitive adj sensor and calibrat\$3 and (fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)and(contrast or brightness or intensity or grey or gray)	USPAT	OR	ON	2008/08/25 14:00
L61	0	L53 and capacitive adj sensor and calibrat\$3 and (fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)and(contrast or brightness or intensity or grey or gray)	USPAT	OR	ON	2008/08/25 14:00
L62	0	L54 and capacitive adj sensor and calibrat\$3 and (fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)and(contrast or brightness or intensity or grey or gray)	USPAT	OR	ON	2008/08/25 14:00
L63	4	L55 and capacitive adj sensor and calibrat\$3 and (fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)and(contrast or brightness or intensity or grey or gray)	USPAT	OR	ON	2008/08/25 14:00
L64	4	L63 and @ad< "20030205"	USPAT	OR	ON	2008/08/25 14:01
L65	0	L56 and capacitive adj sensor and calibrat\$3 and (fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)and(contrast or brightness or intensity or grey or gray)	USPAT	OR	ON	2008/08/25 14:09
L66	0	L57 and capacitive adj sensor and calibrat\$3 and (fingerprint or finger adj print or valley or ridges) and(generat\$3 or obtaining or creat\$3)and (quality adj image\$1 or evaluat\$3 or judg\$4 or test\$3)and dielectric and (electrical or pulses or electromagnetic adj field or electric or magnetic or magnet)and(contrast or brightness or intensity or grey or gray)	USPAT	OR	ON	2008/08/25 14:09

8/ 25/ 08 2:09:28 PM